



ADD:Langjiang District, Yuyao City,
Zhejiang Province,China.
Phone:+86-13486667235
Skype:gary-lu1987
E-mail: sales@foca-telecom.com
Website: www.foca-telecom.com

Yuyao Foca
Communication
Equipment
Co.,Ltd

FOCA
FIBER OPTIC CABLE ACCESSORIES

ABOUT US

YUYAO FOCA COMMUNICATION EQUIPMENT CO.,LTD. is a 2015 established, fast growing company. Which produces a complete solution of products for the fiber optic cable overhead lines. Foca factory has comprehensive facility infrastructure to produce fiber optic cable accessories for the construction of telecommunication networks. Our goal is to provide fiber optic cable line solutions and best quality products, solve the using problems, and give the best service after sales.

Our Key Products Range Includes:

- 1, Fiber optic cable clamps for ADSS cables.
- 2, Fiber optic cable clamps for Figure 8 messenger cables.
- 3, FTTH drop clamps, FTTH drop cable brackets.
- 3, Accessories for the over-head cable lines.
- 4, Fiber optic splice closures.

Foca factory has ability to produce more than 1,000,000 units of the clamps in one year, sell clamps over 20 countries and regions such as Europe,CIS,South and North America, Middle East, Africa and Asia.

Quality is the basement of our factory, to ensure the stable using of the products for the customer is our mission.











We are improving our product range to achieve more competitiveness of the world.

We are hoping and welcome the worldwide customers to cooperate with us, to build reliable and long term business relationship.

ADSS Cable Clamps

(ADSS = All Dielectric Self Supported, It is an entirely dielectrical cable of telecommunication, without metal component, self-supported, containing one or more optical fibers.)

ADSS Anchor clamps or strain clamps and suspension clamps are designed to tension and suspension all dielectric self-supported round cables. Applied in telecommunication or energy construction lines.

Type	Picture	Cable Size (mm)	MBL,kn	Material
PA-500		 Φ3-7	3	PA, Stainless steel
PA-800		 Φ5-9	3.5	PA, Stainless steel
PA-3000		 Φ8-12	5	PA, Stainless steel
PA-3001		 Φ12-16	5	PA, Stainless steel
PA-3002		 Φ16-20	5	PA, Stainless steel

Anchoring Clamps For ADSS Cables

Type	Picture	Cable Size (mm)	MBL,kn	Material
PA-1000		 Φ8-11	10	Aluminum, Stainless steel, PA
PA-1500		 Φ11-14	15	Aluminum, Stainless steel, PA
PA-1500.1		 Φ11-14	10	Aluminum, Stainless steel, PA
PA1500P		 Φ8-12	8	PA, Stainless steel
PA2000P		 Φ9-15	10	PA, Stainless steel

Suspension Clamps For ADSS Cables











Type	Picture	Cable Size (mm)	MBL,kn	Material
HC-5-8		 Φ5-8	4	Galvanized steel, TPE
HC-8-12		 Φ8-12	4	Galvanized steel, TPE
HC-10-15		 Φ10-15	4	Galvanized steel, TPE
HC-15-20		 Φ15-20	4	Galvanized steel, TPE
TASMA		 Φ6-19	3	Galvanized steel, PA

Figure-8 Cable Clamps

Figure-8 anchor clamp is designed to anchor or suspension figure-8 fiber optic cable with different diameters of the messenger in telecommunication lines.

We have two types of the figure-8 clamps:

Anchor clamps for figure-8 with steel messenger.




Anchor clamps for figure-8 with FRP messenger.













Type	Picture	Cable Size (mm)	MBL,kn	Material
PA-05		 3-5	2	PA, Stainless steel, Zink alloy
PA-06		 3-6	3	Aluminum Alloy, Stainless steel, Zink Alloy
PA-07		 3-7	5	Aluminum Alloy, Stainless steel, Zink Alloy
PA-07-520		 3-7	5.5	Aluminum Alloy, Stainless steel, Zink Alloy
PA-10-500		 5-10	8	Aluminum Alloy, Stainless steel, Zink Alloy

Type	Picture	Cable Size (mm)	MBL,kn	Material
PA-37		 3-7	2.5	PA, Stainless steel, Zink Alloy
PA-69		 6-9	2.5	PA, Stainless steel
SSA		 4-5/5-9	8	PA, Galvanized steel
SSC		 4-5/5-9	8	PA, Galvanized steel
ZP-8-1		 6-9	2	Galvanized steel
ZP-8-2		 4-8	2	Aluminum Alloy, Galvanized steel





Drop Clamps For FTTH Cables

Fiber optic drop wire clamps or drop cable tension clamps are designed to tension flat or round FTTH cables.





Type	Picture	Cable Size(mm)	MBL,kn	Material
ODWAC-15		 5*12	0.7	Galvanized Steel
ODWAC-22		 6*13	1.2	Stainless Steel
ODWAC-26		 6*16	2	Stainless Steel
ODWAC-22P		 6*13	1	Stainless Steel
ODWAC-P		 4*8	1	PA
ODWAC-AL		 5*12	1	Aluminum Alloy


Type	Picture	Cable Size(mm)	MBL,kn	Material
S-Type			1	Stainless Steel, ABS
ACC		 Φ2-6	1	PA
U-Type		 Φ2-5  2*(3-5)	0.5	PA. Stainless Steel
D6		 Φ4-8	0.5	PA,TPE
Fish		 Φ2-3  2*3	0.5	ABS

Brackets & Hooks

Type	Picture	MBL,kn	Material
CA-1500		14	Aluminum Alloy
UPB		F1-5, F2-3, F3-9, F4-2, F5-5	Aluminum Alloy
ES-1500		8	Aluminum Alloy
PS-1500		8	Aluminum Alloy

Brackets & Hooks

Type	Picture	MBL,kn	Material
OS-1500		6	Aluminum Alloy
YKN		15	Galvanized Steel
YKP-01		4	Galvanized Steel
YKP-02		4	Galvanized Steel

Type	Picture	MBL,kn	Material
YK-OK-01		1.5	Galvanized Steel
YK-OK-02		1.5	Galvanized Steel
YK-OK-04		4	Galvanized Steel
Y-5		1	Galvanized Steel
HPC		1.5	Galvanized Steel

Stainless Steel Band



Material Grade	Width	Thickness	Length
201	10mm	0.4-0.7mm	30m,50m
202	12.7mm	0.4-0.7mm	30m,50m
304	20mm	0.4-0.7mm	30m,50m

Stainless Steel Buckles



Type	Thickness	Width	Grade
HC-20-L	1mm	10mm,12.7mm,20mm	201,202,304
HC-20-T	1.5mm	10mm,12.7mm,20mm	201,202,304

Banding Tools



Type	Max Band Width(mm)	Max Band Thickness(mm)
MBT-003	20	1.5



Type	Max Band Width(mm)	Max Band Thickness(mm)
MBT-004	25	1.2